



- BACK OF NATURAL STONE
- GRANITE
- MARBLE
- AGGLOMERATES
- TERRACOTTA AND ABSORBENT MATERIALS



WHAT IT'S FOR

- Anti-efflorescence protector to apply to the back of tiles or slabs of absorbent materials.
- It stops contaminants rising up from the substrate to the surface of the material (salts, tannin, metals, etc.) preventing the formation of streaks and/or stains.
- Protector to apply before laying.
- Specific product for natural stone, granite, marble, agglomerates, terracotta and absorbent materials.

ADVANTAGES

- Stops efflorescence of contaminants and stops the formation of surface streaks and stains.
- Does not form surface film and allows the material treated to breathe.
- Does not modify the characteristics of any kind of glue or grouting (UNI EN 1348-2009 standard).
- Water-based COV-free product.
- Permanent protection.
- Ideal for floors, stairs and coverings.

HOW IT'S USED

Product is ready to use
(no dilution required).

Application:

Thoroughly clean the back of the tile or slab, removing dust and residues. Apply the product continually and evenly to the back and side of the dry material, using a large flat paintbrush or airless pump and avoiding pooling.

Leave to dry for about 24 hours before gluing the floor.

COVERAGE

With one litre:

10/15 m²

"Coverage rates are approximate and refer to a single coat of the product"

Warning:

Do not apply the product to the front of the material if the surface is polished.

Packaging

5 liter flasks in box of 4

<p>COMPOSITION Single-component system made from organic silicon compounds.</p>
--

<p>LABELLING Hazard statements: Causes severe skin burns and eye damage. Precautionary statements: If medical advice is needed, have product container or label at hand. Keep out of reach of children. Wear protective gloves / protective clothing / eye protection / face protection. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/ physician. Store locked up. Dispose of contents / container in accordance with the regulations in force. amministrative / container in accordance with the regulations in force. Contains: POTASSIUM METHYL SILICONATE.</p>		<p>TECHNICAL CHARACTERISTICS Appearance: liquid Colour: colourless Odour: pungent Density: 1,014 kg/l Ph: 13 Flammability: >60°C</p> <p><i>The information above reflects our latest technical know-how and is the outcome of ongoing laboratory research and testing. However, some factors are beyond our control. It is essential to integrate our suggestions with your own on-site preliminary tests and check. Fila accepts no liability for improper use of its products.</i></p>
---	--	--